

SAFETY DATA SHEET

8550 PHENYL METHYL SILICONE FLUID

| | | | |
|------------------------|----------------------------------|--|-----------------------------------|
| Version: 1.1 | Revision Date: 02/2018 | MSDS Number: SDS-GHS-08550-PSF-001 | Date Completed: 02/2018 |
|------------------------|----------------------------------|--|-----------------------------------|

SECTION 1. IDENTIFICATION

Product Name: 8550 Phenyl Methyl Silicone Fluid

Manufacturer or supplier's details

Company name of supplier: JIT Silicones Plus

Address: 5 Industrial Park Drive
Oakdale, PA 15071

Telephone: 855-548-7587

Emergency Telephone: 24 Hour Emergency Telephone:
CHEMTREC: (800) 424-9300

Recommended use of the chemical and restrictions on use

Recommended use: Lubricant
Intermediate
Additives
Heat Transfer agents

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Not a hazardous substance or mixture.

GHS Label Element Not a hazardous substance or mixture.

Other hazards: None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture: Substance

Substance Name: Dimethyl phenylmethyl siloxane, trimethyl-terminated

CAS-No.: 63148-52-7

Chemical Nature: Silicone

Hazardous Ingredients: No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled: If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

SAFETY DATA SHEET

8550 PHENYL METHYL SILICONE FLUID

| | | | |
|------------------------|----------------------------------|--|-----------------------------------|
| Version: 1.1 | Revision Date: 02/2018 | MSDS Number: SDS-GHS-08550-PSF-001 | Date Completed: 02/2018 |
|------------------------|----------------------------------|--|-----------------------------------|

| | |
|--|---|
| In case of skin contact: | Wash with water and soap as a precaution. Get medical attention if symptoms occur. |
| In case of eye contact: | Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. |
| If swallowed: | If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed: | None known. |
| Protection of first-aiders: | No special precautions are necessary for first aid responders. |
| Notes to physician: | Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

| | |
|---|---|
| Suitable extinguishing media: | Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media: | None known. |
| Specific hazards during fire fighting: | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products: | Carbon oxides Silicon oxides Formaldehyde |
| Specific extinguishing methods: | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for fire-fighters: | Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures: | Follow safe handling advice and personal protective equipment recommendations. |
|--|--|

SAFETY DATA SHEET

8550 PHENYL METHYL SILICONE FLUID

| | | | |
|------------------------|----------------------------------|--|-----------------------------------|
| Version: 1.1 | Revision Date: 02/2018 | MSDS Number: SDS-GHS-08550-PSF-001 | Date Completed: 02/2018 |
|------------------------|----------------------------------|--|-----------------------------------|

| | |
|--|---|
| Environmental precautions: | Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wastewater. Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up: | Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

SECTION 7. HANDLING AND STORAGE

| | |
|------------------------------|---|
| Technical measures: | See Engineering measures under EXPOSURE CONTROLS/ PERSONAL PROTECTION section. |
| Local/Total ventilation: | Use only with adequate ventilation. |
| Advice on safe handling: | Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage: | Keep in properly labeled containers. Store in accordance with the particular national regulations. |
| Materials to avoid: | Do not store with the following product types: Strong oxidizing agents |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

| | |
|------------------------------|--|
| Engineering measures: | Processing may form hazardous compounds (see section 10)., |
|------------------------------|--|

SAFETY DATA SHEET

8550 PHENYL METHYL SILICONE FLUID

| | | | |
|------------------------|----------------------------------|--|-----------------------------------|
| Version: 1.1 | Revision Date: 02/2018 | MSDS Number: SDS-GHS-08550-PSF-001 | Date Completed: 02/2018 |
|------------------------|----------------------------------|--|-----------------------------------|

Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment:

Respiratory protection: No personal respiratory protective equipment normally required.

Hand protection

Remarks: Wash hands before breaks and at the end of workday..

Eye protection: Wear the following personal protective equipment:
Safety glasses

Skin and body protection: Skin should be washed after contact.

Hygiene measures: Ensure that eye flushing systems and safety showers are located close to the working place.
When using, do not eat, drink or smoke.
Wash contaminated clothing before re-use.
These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.
For further information regarding the use of silicones / organic oils in consumer aerosol applications, please refer to the guidance document regarding the use of these type of materials in consumer aerosol applications that has been developed by the silicone industry (www.SEHSC.com) or contact JIT Silicones Plus customer service group.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid

Color: Colorless

Odor: None

Odor Threshold: No data available

pH: No data available

Melting point/freezing point: No data available

Initial boiling point and boiling range: >65°C

Flash point: >101°C
Method: closed cup

SAFETY DATA SHEET

8550 PHENYL METHYL SILICONE FLUID

| | | | |
|------------------------|----------------------------------|--|-----------------------------------|
| Version: 1.1 | Revision Date: 02/2018 | MSDS Number: SDS-GHS-08550-PSF-001 | Date Completed: 02/2018 |
|------------------------|----------------------------------|--|-----------------------------------|

| | |
|---|--|
| Evaporation rate: | No data available |
| Flammability (solid, gas): | Not applicable |
| Upper explosion limit: | No data available |
| Lower explosion limit: | No data available |
| Vapor pressure: | No data available |
| Relative vapor density: | No data available |
| Relative density: | 1.065 |
| Solubility./(ies) Water solubility: | No data available |
| Partition coefficient: n-octanol/water: | No data available |
| Autoignition temperature: | No data available |
| Thermal decomposition: | No data available |
| Viscosity Viscosity, kinematic: | 125 cSt |
| Explosive properties: | Not explosive |
| Oxidizing properties: | The substance or mixture is not classified as oxidizing. |
| Molecular weight: | No data available |

SECTION 10. STABILITY AND REACTIVITY

| | |
|-------------------------------------|---|
| Reactivity: | Not classified as a reactivity hazard. |
| Chemical stability: | Stable under normal conditions. |
| Possibility of hazardous reactions: | Can react with strong oxidizing agents. Use at elevated temperatures may form highly hazardous compounds. Hazardous decomposition products will be formed at elevated temperatures. |
| Conditions to avoid: | None known. |
| Incompatible materials: | Oxidizing agents |

SAFETY DATA SHEET

8550 PHENYL METHYL SILICONE FLUID

| | | | |
|------------------------|----------------------------------|--|-----------------------------------|
| Version: 1.1 | Revision Date: 02/2018 | MSDS Number: SDS-GHS-08550-PSF-001 | Date Completed: 02/2018 |
|------------------------|----------------------------------|--|-----------------------------------|

Hazardous decomposition products:
Thermal decomposition: Benzene, Formaldehyde

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity:

Not classified based on available information.

Skin corrosion/irritation:

Not classified based on available information.

Serious eye damage/eye irritation:

Not classified based on available information.

Respiratory or skin sensitization:

Skin sensitization:
Not classified based on available information.
Respiratory sensitization:
Not classified based on available information.

Germ cell mutagenicity:

Not classified based on available information.

Carcinogenicity: Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity: Not classified based on available information.

SAFETY DATA SHEET

8550 PHENYL METHYL SILICONE FLUID

| | | | |
|------------------------|----------------------------------|--|-----------------------------------|
| Version: 1.1 | Revision Date: 02/2018 | MSDS Number: SDS-GHS-08550-PSF-001 | Date Completed: 02/2018 |
|------------------------|----------------------------------|--|-----------------------------------|

STOT – single exposure:

Not classified based on available information.

STOT – repeated exposure:

Not classified based on available information.

Aspiration toxicity:

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Exotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Resource Conservation and Recovery Act (RCRA):

This product has been evaluated for RCRA characteristics and does not meet the criteria of hazardous waste if discarded in its purchased form.

Waste from residues:

Dispose of in accordance with local regulations.

Contaminated packaging:

Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

SAFETY DATA SHEET

8550 PHENYL METHYL SILICONE FLUID

| | | | |
|------------------------|----------------------------------|--|-----------------------------------|
| Version: 1.1 | Revision Date: 02/2018 | MSDS Number: SDS-GHS-08550-PSF-001 | Date Completed: 02/2018 |
|------------------------|----------------------------------|--|-----------------------------------|

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II or MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA – Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

| Ingredients | CAS-No | Component RQ (lbs) | Calculated product RQ (lbs) |
|-------------|----------|--------------------|-----------------------------|
| Toluene | 108-88-3 | 1000 | * |

*Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards:

No SARA Hazards

SARA 302:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations:

Pennsylvania Right To Know

Dimethyl phenylmethylsiloxane, trimethyl-terminated 63148-52-7 90 – 100%

New Jersey Right To Know

Dimethyl phenylmethylsiloxane, trimethyl-terminated 63148-52-7 90 - 100%

California Prop 65

This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Toluene 108-88-3

SAFETY DATA SHEET

8550 PHENYL METHYL SILICONE FLUID

| | | | |
|------------------------|----------------------------------|--|-----------------------------------|
| Version: 1.1 | Revision Date: 02/2018 | MSDS Number: SDS-GHS-08550-PSF-001 | Date Completed: 02/2018 |
|------------------------|----------------------------------|--|-----------------------------------|

The ingredients of this product are reported in the following inventories:

| | |
|------------|--|
| KECI: | All ingredients listed, exempt or notified. |
| REACH: | All ingredients (pre-)registered or exempt. |
| TSCA: | All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.. |
| AICS: | All ingredients listed or exempt. |
| IECSC: | All ingredients listed or exempt. |
| PICCS: | All ingredients listed or exempt. |
| DSL: | All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL). |
| ENCS/ISHL: | All components are listed on ENCS/ISHL or exempted from inventory listing. |
| NZloC | All ingredients listed or exempt. |


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZloC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA).

SECTION 16. OTHER INFORMATION

Further Information

NFPA:



HMIS III:

| | |
|------------------------|----------|
| HEALTH | 0 |
| FLAMMABILITY | 1 |
| PHYSICAL HAZARD | 0 |

0 = Not Significant, 1 = Slight, 2 = Moderate,

SAFETY DATA SHEET

8550 PHENYL METHYL SILICONE FLUID

| | | | |
|------------------------|----------------------------------|--|-----------------------------------|
| Version: 1.1 | Revision Date: 02/2018 | MSDS Number: SDS-GHS-08550-PSF-001 | Date Completed: 02/2018 |
|------------------------|----------------------------------|--|-----------------------------------|

3 = High, 4 = Extreme, * = Chronic

Sources of key data used to
Compile the Safety Data Sheet:

Internal technical data, data from raw material SDSs, OECDChem Portal search results
and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date: 02/04/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.