NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

SECTION 1. IDENTIFICATION

Product Name: Neutral Cure – (White)

Manufacturer or supplier's details

Company name of supplier: JIT Silicones Plus

Address: 5 Industrial Park Drive

Oakdale, PA 15071

Telephone: 855-548-7587

Emergency Telephone: 24 Hour Emergency Telephone:

CHEMTREC: (800) 424-9300

Recommended use of the chemical and restrictions on use

Recommended use: Adhesive, binding agents

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin sensitization Category 1

Specific target organ:

Systemic toxicity - repeated

Exposure (Oral)

Category 2 (Blood)

GHS Label Element

Hazard pictograms



Signal Word: Warning

H317 May cause an allergic skin reaction. **Hazard Statements:**

H373 May cause damage to organs (Blood) through prolonged

or repeated exposure if swallowed.

Precautionary Statements: Prevention:

P260 Do not breathe dust / fume / gas / mist / vapors / spray.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P314 Get medical advice / attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents / container to an approved waste

disposal plant.

Other hazards: None known.

Page 2 GHS-15001-NCWH

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture: Mixture

Chemical nature: Silicone elastomer

Hazardous Ingredients:

Chemical Name	CAS-No.	Concentration (%)
Silicon dioxide	7631-86-9	>= 5 - <= 10
Methyltri(ethylmethylketoxime)silane	22984-54-9	> = 1 - < 5
Titanium dioxide	13463-67-7	>= 1 - < 5
Vinyltri (methylethylketoxime) silane	2224-33-1	>= 0.1 < 1
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	>=0.1 -< 1
Methyltri(ethylmethylketoxime)silane isomers and oligomers	Not Assigned	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice: In the case of accident or if you feel unwell, seek medical advice

immediately.

When symptoms persist or in all cases of doubt, seek medical

advice.

If inhaled: If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact: In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact: Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed: If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects,

May cause an allergic skin reaction.

both acute and delayed:

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders: First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

Notes to physician: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing media: None known.

Specific hazards during fire-fighting: Exposure to combustion products may be a hazard to health.

Hazardous combustion products: Carbon oxides

Silicon oxides Formaldehyde

Nitrogen oxides (NOx)

Metal oxides

Specific extinguishing methods: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

so.

Evacuate area.

Special protective equipment for fire-

fighters:

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

equipment and emergency procedures: Follow safe handling advice and personal protective equipment

recommendations.

Environmental precautions: Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment

and cleaning up:

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which

regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures: See Engineering measures under EXPOSURE CONTROLS/

PERSONAL PROTECTION section.

Local/Total ventilation: Use only with adequate ventilation.

Advice on safe handling: Do not get on skin or clothing.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety

practice.

Keep away from water. Protect from moisture.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage: Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid: Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters/ Permissible concentration	Basis
Silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL
Titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Methyltri(ethylmethylketoxime) silane	22984-54-9
Vinyltri (methylethylketoxime) silane	2224-33-1
N-(3-(Trimethoxysilyl)propyl)ethylene ediamine	1760-24-3
Methyltri(ethylmethylketoxime) silane isomers and obligomers	Not Assigned

Occupational exposure limits of decomposition products

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters/ Permissible concentration	Basis
Ethyl methyl ketoxime	96-29-7	TWA	10 ppm	DCC OEL
Further Information: Skin sensitization				
		TWA	10 ppm	US WEEL

Engineering measures: Processing may form hazardous compounds (see section 10)., Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where

concentrations are above recommended limits or are unknown,

appropriate respiratory protection should be worn.

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air

purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material: Impervious gloves

Remarks: Choose gloves to protect hands against chemicals depending on

the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks

6....

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

and at the end of workday.

Eye protection: Wear the following personal protective equipment:

Safety goggles

Skin and body protection: Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc.).

Hygiene measures: Ensure that eye flushing systems and safety showers are

located close to the working place. When using, do not eat, drink or smoke. Wash contaminated clothing before re-use.

These precautions are for room temperature handling. Use at

elevated temperature or aerosol/spray applications may

require added precautions.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Paste

Color: White

Odor: Slight

Odor Threshold: No data available

pH: Not applicable

Melting point/freezing point: No data available

Initial boiling point and boiling range: Not applicable

Flash point: Not applicable

Evaporation rate: Not applicable

Flammability (solid, gas): Not classified as a flammability hazard

Upper explosion limit: No data available

Lower explosion limit: No data available

Vapor pressure: Not applicable

Relative vapor density: No data available

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

	(''		
Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

Relative density: 1.04

Solubility./(ies)

Water solubility: No data available

Partition coefficient: n-octanol/water: No data available

Autoignition temperature: No data available

Thermal decomposition: No data available

Viscosity

Viscosity, dynamic: Not applicable

Explosive properties: Not explosive

Oxidizing properties: The substance or mixture is not classified as oxidizing.

Molecular weight: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not classified as a reactivity hazard.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Use at elevated temperatures may form highly hazardous

compounds.

Can react with strong oxidizing agents.

Hazardous decomposition products will be formed upon

contact with water or humid air.

Hazardous decomposition products will be formed at elevated

temperatures.

Conditions to avoid: Exposure to moisture.

Incompatible materials: Oxidizing agents

Water

Hazardous decomposition products:

Contact with water or humid air: Ethyl methyl ketoxime

Thermal decomposition: Formaldehyde

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity:	Acute toxicity estimate: > 5,000 mg/kg
	Method: Calculation method

Ingredients:

Cilian disvida:	
Silicon dioxide: Acute oral toxicity:	LD50 (Rat): > 3,300 mg/kg Assessment: The substance or mixture has no acute oral toxicity Remarks: Information taken from reference works and the literature.
Acute inhalation toxicity:	LC50 (Rat):> 2.08 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Information taken from reference works and the literature.
Acute dermal toxicity:	LD50 (Rabbit): > 5,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity. Remarks: Information taken from reference works and the literature.
Methyltri(ethylmethylketoxime)silane:	
Acute oral toxicity:	LD50 (Rat): >2,520 mg/kg Assessment: The substance or mixture has no acute oral toxicity Remarks: Based on test data
Titanium dioxide:	
Acute oral toxicity:	LD50 (Rat): >5,000 mg/kg
Acute inhalation toxicity:	LC50 (Rat): >6.82 mg/l Exposure time: 4 h

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

	Test atmosphere: dust/mist Assessment: The substance or mixture has no acute oral toxicity
ethylethylketoxime) silane:	
toxicity:	LD50 (Rat): >2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity Remarks: Based on test data
nal toxicity:	LD50 (Rat): >2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on test data
ethoxysllyl)propyl)ethylenediamine:	
toxicity:	LD50 (Rat): 2,295 mg/kg Remarks: Based on test data
ation toxicity:	LC50 (Rat): > 1.49 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Based on test data
ial toxicity:	LD50 (Rabbit): >2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on test data

/irritation

pased on available information.

:

1 irritation

mation taken from reference works and the literature.

Imethylketoxime)silane:

t

ı irritation

d on data from similar materials

de:

t

ı irritation

exysllyl)propyl)ethylenediamine:

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

Species: Rabbit

Result: Mild skin irritation Remarks: Based on test data

Serious eye damage/eye irritation

Not classified based on available information.

Ingredients:

Silicon dioxide:

Result: No eye irritation

Remarks: Information taken from reference works and the literature.

Methyltri(ethylmethylketoxime)silane:

Species: Rabbit

Result: Irritation to eyes, reversing within 7 days

Remarks: Based on test data

Titanium dioxide:

Species: Rabbit

Result: No eye irritation

Vinyltri (methylethylketoxime) silane:

Species: Rabbit

Result: Irreversible effects on the eye

Remarks: Based on test data

N-(3-(Trimethoxysllyl)propyl)ethylenediamine:

Species: Rabbit

Result: Irreversible effects on the eye

Remarks: Based on test data

Methyltri(ethylmethylketoximine)silane isomers and oligomers:

Species: Rabbit

Results: Irreversible effects on the eye

Remarks: Based on test data

Respiratory or skin sensitation

Skin sensitization: May cause an allergic skin reaction.

Respiratory sensitization: Not classified based on available information.,

Ingredients: Silicon dioxide:

Assessment: Does not cause skin sensitization.

Test Type: Skin: test type not specified

Species: Guinea pig

Remarks: No known sensitizing effect.

Information taken from reference works and the literature.

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

Methyltri(ethylmethylketoxime)silane:

Assessment: Probability or evidence of skin sensitization in humans

Test Type: Maximization Test (GPMT)

Species: Guinea pig

Remarks: Causes sensitization.

Based on test data

Titanium dioxide:

Test Type: Local lymph node assay (LLNA)

Routes of exposure: Skin contact

Species: Mouse Result: negative

Vinyltri (methylethylketoxime) silane:

Assessment: Probability or evidence of skin sensitization in humans

Test Type: Maximization Test (GPMT)

Species: Guinea pig

Remarks: Causes sensitization.
Based on data from similar materials

N-(3-(Trimethoxysllyl)propyl)ethylenediamine:

Assessment: Probability or evidence of skin sensitization in humans

Test Type: Maximization Test (GPMT)

Species: Guinea pig

Remarks: Causes sensitization.

Information taken from reference works and the literature.

Methyltri(ethylmethylketoxime)silane Isomers and oligomers:

Assessment: Probability or evidence of skin sensitization in humans

Test Type: Maximization Test (GPMT)

Species: Guinea pig

Remarks: Causes sensitization.
Based on data from similar materials.

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Silicon dioxide:	
Genotoxicity in vitro:	Result: negative Remarks: Information taken from reference works and the literature.
Genotoxicity in vivo:	Application Route:L Ingestion Result: negative

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

	Remarks: Information taken from reference works and the literature.
nutagenicity- Assessment:	Animal testing did not show any mutagenic effects.
ethylmethylketoxime)silane: :y in vitro:	Test Type: Mutagenicity (in vitro mammalian cytogenic test) Result: negative Remarks: Based on test data
ioxide: :y in vitro:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
:y in vivo:	Test Type: In vivo micronucleus test Test species: Mouse Result: negative
ethylethylketoxime) silane: :y in vitro:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on test data
ty in vivo:	Test Type: In vivo micronucleus test Test Species: Mouse Application Route: Intraperitoneal injection Result: negative Remarks: Based on test data
nutagenicity- Assessment:	Animal testing did not show any mutagenic effects.
icity ed based on available information.	

de:

ute: Inhalation (dust/mist/fume)

24 Months

) Test Guideline 453

е

mechanism or mode of action may not be relevant in humans.

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

The substance is inextricably bound in the product and therefore does not contribute to a dust inhalation hazard.

Carcinogenicity – Assessment:	Limited evidence of carcinogenicity in inhalation studies with animals.
IARC	Group 2B: Possibly carcinogenic to humans Titanium dioxide 13463-67-7
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of tis product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity Not classified based on available information.	
Ingredients: Methyltri(ethylmethylketoxime)silane: Effects on fertility:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test. Species: Rat, male and female Application Route: Ingestion Symptoms: No effects on fertility. Remarks: Based on test data.
Effects on fetal development:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test. Species: Rat, male and female Application Route: Ingestion Symptoms: No effects on fetal development. Remarks: Based on test data
Reproductive toxicity – Assessment:	No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Blood) through prolonged or repeated exposure if swallowed.

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

Ingredients:

Methyltri(ethylmethylketoxime)silane:

Routes of exposure: Ingestion

Target Organs: Blood

Assessment: Shown to produce significant health effects in animals at concentrations of >10 to

100 mg/kg bw.

Vinyltri (methylethylketoxime) silane:

Routes of exposure: Ingestion

Target Organs: Blood

Assessment: Shown to produce significant health effects in animals at concentrations of >10 to

100 mg/kg bw.

N-(3-(Trimethoxysllyl)propyl)ethylenediamine:

Routes of exposure - Ingestion

Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg bw

or less.

Methyltri(ethylmethylketoxime)silane Isomers and oligomers:

Routes of exposure: Ingestion

Target Organs: Blood

Assessment: Shown to produce significant health effects in animals at concentrations of >10 to

100 mg/kg bw.

Repeated dose toxicity

Ingredients:

Methyltri(ethylmethylketoxime)silane:

Species: Rat

Application Route: Ingestion Target Organs: Blood Remarks: Based on test data

Titanium dioxide:

Species: Rat

NOAEL: 24,000 mg/kg Application Route: Ingestion

Exposure time: 28 d

Species: Rat NOAEL: 10 mg/m3

Application Route: Inhalation (dust/mist/fume)

Exposure time: 2 y

Remarks: The substance is inextricably bound in the product and therefore does not contribute

to a dust inhalation hazard.

Vinyltri (methylethylketoxime) silane:

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

Species: Rat

Application Route: Ingestion Target Organs: Blood

Remarks: Based on data from similar materials

N-(3-(Trimethoxysllyl)propyl)ethylenediamine:

Application Route: Ingestion Target Organs: Blood

Remarks: Based on data from similar materials

Methyltri(ethylmethylketoxime)silane Isomers and oligomers:

Species: Rat

Application Route: Ingestion Target Organs: Blood

Remarks: Based on data from similar materials'

Aspiration toxicity

Not classified based on available information.

Further Information

Product:

Remarks: During use of the material, small amounts of methylethylketoxime (MEKO) will be released. Rodents exposed to chronic MEKO inhalation throughout their lifetimes showed significant increases in liver tumor rates.

SECTION 12. ECOLOGICAL INFORMATION

Exotoxicity	
Ingredients: Methyltri(ethylmethylketoxime)silane:	
Toxicity to fish:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates:	EC50 (Daphnia magna (Water flea)): > 120 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae:	ErC50 (selenastrum capricornutum (green algae)): 94 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

Ecotoxicology Assessment	
Acute aquatic toxicity:	This product has no known ecotoxicological effects.
Titanium dioxide:	
Toxicity to fish:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
	Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic	EC50 (Daphnia magna (Water flea)): > 100 mg/l
invertebrates:	Exposure time: 48 h
Toxicity to algae	EC50 (Skeletonema costatum (marine diatom)): > 10,000 mgl
	Exposure time: 72 h
Toxicity to bacteria:	EC50: > 1,000 mg/l
	Exposure time: 3 h
	Method: OECD Test Guideline 209

N-(3-Trimethoxysllyl)propyl)ethylenediamine:

Toxicity to fish:	LC50 (Danio rerio (zebra fish)): 597 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other aquatic invertebrates:	EC50 (Daphnia sp.): 81 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to algae:	ErC50 (Selenastrum capricornutum (green algae)): 8.8 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Selenastrum capricornutum (green algae)): 3.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity):	NOEC (Daphnia sp.): > 1 mg/l Exposure time: 21 d

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

Persistence and degradability	
Ingredients:	

Methyltri(ethylmethylketoxime)silane:

Biodegradability:	Result: Not readily biodegradable.
	Biodegradation: 14.5 %
	Exposure time: 21 d
	Method: OECD Test Guideline 302B
	Remarks: Based on data from similar materials

Vinyltri (methylethylketoxime)silane:

Biodegradability:	Result: Not readily biodegradable.
Stability in water:	Degradation half life: 1 s

N-(3-(Trimethoxysllyl)propyl)ethylenediamine:

Result: Not readily biodegradable.
Biodegradation: 39 %
Method: OECD Test Guideline 301A
Degradation half life: 0.025 h (24.7 °C) pH: 7
Method: OECD Test Guideline 301A
Log Pow: 11.2

N-(3-(Trimethoxysllyl)propyl)ethylenediamine:

Partition coefficient: np:	Log Pow: -0.3
octano/water	
Mobility in soil:	No data available
Other adverse effects:	No data available

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methodsThis product has been evaluated for RCRA characteristics and

Resource Conservation and does not meet the criteria of hazardous waste if discarded in its

Recovery Act (RCRA): purchased form.

Waste from residues: Dispose of in accordance with local regulations.

Contaminated packaging: Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT CONSIDERATIONS

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II or MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

SECTION 15. REGULATORY INFORMATION

EPCRA – Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
n-Hexane	110-54-3	5000	*
Methanol	67-56-1	5000	*
Ethylenediamine	107-15-3	5000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Ingredients	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
10, 10-Oxydiphenoxarsine	58-36-6	500	*
Ethylenediamine	107-15-3	5000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards: Acute Health Hazard

Chronic Health Hazard

SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313: This material does not contain any chemical components

with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

67-56-1

Section 313.

Pennsylvania Right To Know

reillisylvai	nia Right 10 Know		
	Dimethyl siloxane, hydroxyl-terminated	70131-67-8	70 - 90 %
	Silicon dioxide	7631-86-9	5 – 10%
	Methyltri(ethylmethylketoxime)silane	22984-54-9	1 – 5%
	Titanium dioxide	13463-67-7	1 – 5%
	10, 10-Oxydiphenoxarsine	58-36-6	0-0.1%
New Jerse	y Right To Know		
	Dimethyl siloxane, hydroxyl-terminated		70 - 90%
	Silicon dioxide	7631-86-9	5 - 10%
	Methyltri(ethylmethylketoxime)silane		1 – 5%
	Dimethyl Siloxane, Trimethylsiloxy-terminated		1 – 5%
	Titanium dioxide	13463-67-7	1 – 5%
California	State of California to cause birth defects or other reproductive harm.		

GHS-15001-NCWH Page 20

Methanol

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

The ingredients of this product are reported in the following inventories:

NZIoC:	All ingredients listed or exempt.
IECSC:	All ingredients listed or exempt
ENCS/ISHL:	All components are listed oN ENCS/ISHL or exempted from inventory listing.
PICCS:	All ingredients listed or exempt.
DSL:	All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).
REACH:	Consult JIT Silicones Plus.
TSCA:	All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical substances.
AICS:	All ingredients listed or exempt.
KECI:	One or more ingredients are not listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA).

SECTION 16. OTHER INFORMATION

Further Information

NFPA:





HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0

NEUTRAL CURE - (100% SILICONE SEALANT - WHITE)

Version:	Revision Date:	MSDS Number:	Date Completed:
1.0	11/2014	GHS-15001-NCWH	02/2015

Full text of other abbreviations

ACGIH: USA. ACGIH Threshold Limit Values (TLV)

DCC OEL USA. Occupational Exposure Limits (OSHA) – Table X-1

Limits for Air Contaminants

OSHA Z-1:

ACGIH / TWA: 8-hour, time-weighted average OSHA Z-1 / TWA: 8-hour, time-weighted average

Sources of key data used to Internal technical data, data from raw material SDSs, OECD Compile the Material Safety eChem Portal search results and European Chemicals Agency,

Data Sheet: http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.